

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

### MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLES FOR CERTAIN DISEASES, CITIES OF THE UNITED STATES, FOR WEEK ENDED SEPT. 14, 1912.

Cities.	Popula- tion, United States cen- sus, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.												
Baltimore, Md Boston, Mass Chicago, III Cleveland, Ohio New York, N. Y Philadelphia, Pa Pittsburgh, Pa St. Louis, Mo	558, 485 670, 585 2, 185, 283 560, 663 4, 766, 883 1, 549, 008 533, 905 687, 029	184 203 588 147 1,251 411 158 217	15 18 67 35 140 37 44 17	1 1 6 2 13 1 3 1	2 23 16 3 57 7 44	1 1 1  2	6 88 12 60 27 13 20	6  1	25 76 150 35 414 85 17 40	20 24 55 14 149 47 14 22	22 52 9 130 45 6 25	18 8 2
Cities having from 300,000 to 500,000 inhabitants.	,											
Buffalo, N. Y. Cincinnati, Ohio. Detroit, Mich. Los Angeles, Cal. Milwaukee, Wis. Newark, N. J. New Orleans, La. San Francisco, Cal. Washington, D. C.	423,715 364,463 465,766 319,198 373,857 347,469 339,075 416,912 331,069	137 109 158 117 109 132 105 97	13 4 16 1 8 19 9 9	1	8 10 5 6 3 9	2	5 3 10 1 4 9 1 1 4		10 25 11 11 25 19 28 23	12 20  11 6 11 11 7 5	12 7 6 10 8 10 10 20	1 1 1 1 1 1 7
Cities having from 200,000 to 300,000 inhabitants.												
Jersey City, N. J	267,779 248,381 224,326	81 89	9	1 2			3 5	1 2	 2 8	8 8 6	6 16	2 2
Cities having from 100,000 to 200,000 inhabitants.												
Bridgeport. Conn. Cambridge, Mass. Dayton, Ohio. Fall River, Mass. Grand Rapids, Mich. Lowell, Mass. Nashville, Tenn. Oakland, Cal. Omaha, Nebr. Spokane, Wash. Toledo, Ohio. Worcester, Mass.	102,054 104,839 116,577 119,295 112,571 106,294 110,364 150,174 124,096 104,402 168,497 145,986	37 23 31 39 32 44 39 52 38	1 12 1 1 2 1 2 1 1 6 8	1 1	1 1 1 1 1 2 2		8 2 12 1		2 1 1 3 3 7 5 2	5 2 4 1 4 5 3 1	1 3 3 13 3 13 3 14 6 4	1 2 1 1 1
Cities having from 50,000 to 100,000 inhabitants.		and the second s									-	
Altoona, Pa. Bayonne, N. J. Brockton, Mass. Camden, N. J. Duluth, Minn. Elizabeth, N. J. Erie, Pa. Evansville, Ind. Fort Wayne, Ind. Harrisburg, Pa. Hoboken N. J. Houston, Tex Johnstown, Pa Kansas City, Kans. Lawrence, Mass. Lynn, Mass. Manchester, N. H. New Bedford, Mass Passaic, N. J. Pawtucket, R. I. Peoria, Ill. Reading, Pa.	52, 127 55, 545 56, 878 94, 538 78, 469 66, 525 69, 647 78, 890 55, 482 82, 331 85, 892 89, 336 96, 652 54, 773 51, 622 69, 695 96, 695	10 14 9 17 20 22 6 6 21 35 17 35 16 26	2 4 1 13  6 6 6  1 2 1 2 3 2	1 1 1 2	1 1 1 1 1 1 1 1 1 8 1 1 3 3	2	1 2 1 2 2 1 1 3 2 2 1 1 3 3 2 1 1 3 3 3 3	i	3 7 4 2 1 7  7  2 8 2 6 1	1 2 1 2 3 3 2 1 2 1 2 1 2 1 2 1	1 1 1 1 1 1 1 7 3 3 3 	2  1 1

October 4, 1912 1640

#### MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality tables for certain diseases, cities of the United States, for week ended Sept. 14, 1912—Continued.

Cities.	Population, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities hoving from 50,000 to 100,000 inhabitants—Con.												
Saginaw, Mich. Schenectady, N. Y. South Bend, Ind. Springfield, III. Springfield, Mass. Trenton, N. J. Wilkes-Barre, Pa. Yonkers, N. Y. Cities having from 25,000 to	50,510 72,826 53,684 51,678 88,926 96,815 67,105 79,803	14 28 19 29 31 59 16 26	1 1 1 1 1 2 6 1		1		1 5 1 1 2		1 3 7 4 1	2 1 2 4 1	2 3 1 6 1 4 4 3	2 1
50,000 inhabi <b>t</b> ants.	42.150	-0										
Atlantic City, N. J. Aturora, Ill. Berkeley, Cal. Binghamton, N. Y. Brookline, Mass. Butte, Mont. Chattanooga. Tenn. Chelsea, Mass. Chicopee, Mass. Chicopee, Mass. Chicopee, Mass. Danville, Ill. East Orange, N. J. Elmira, N. Y. El Paso, Tex. Everett, Mass. Fitchburg, Mass. Haverhill, Mass. Kalamazoo, Mich. Knoxville, Tenn. La Crosse, Wis. Lancaster, Pa. Lexington, Ky. Lynchburg, Va. Mount Vernon, N. Y. Newcastle, Pa. Newport, Ky. Newton, Mass. Niagara Falls, N. Y. Norristown, Pa. Orange, N. J. Pasadena, Cal. Pittsfield, Mass. Portsmouth, Va. Racine, Wis. Roanoke, Va. Racokford, Ill. San Diego, Cal. South Omaha, Nebr. Superior, Wis.	46, 150 29, 807 40, 434 48, 443 27, 792 39, 165 44, 604 32, 452 25, 401 37, 871 34, 371 37, 826 44, 115 39, 437 36, 346 30, 417 47, 227 35, 039 39, 806 30, 439 30, 309 39, 806 30, 435 27, 875 29, 630 30, 291 32, 121 33, 190 38, 802 34, 874 45, 401 39, 578 40, 384 45, 401 39, 578 40, 384 45, 401	10 14 14 12 18 12 18 11 19 9 8 8 18 18 7 12 10 10 10 8 13 6 10 8 9 9 12 15 7 19 10 8 8 12 15 7 19 10 8 8 12 11 15 15 15 16 16 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 2		3		1 1 1 5 5	1 1 2 2 1 1 1 2 1 1 1 1 3 1 1 1 1 1 1 1	1 1 1 1 2 1 1 1 2 2 1 1 2 2 4 4 3 3 3 6 6 15 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
Taunton, Mass. Waltham, Mass. West Hoboken, N. J. Wheeling, W. Va. Wilmington, N. C. Zanesville, Ohio.	27, 834 35, 403 41, 641 25, 748 28, 026	9 12 10	1 6 1 13				1		1 2 1	2	1 3	
Cities having less than 25,000 inhabitants.	20,020	10	19									
Alameda, Cal Ann Arbor, Mich. Beaver Falls, Pa Biddeford, Me Braddock, Pa Butler, Pa	23, 833 14, 817 12, 191 17, 079 17, 759 20, 728	5 8 0 11	1 2 1		1						2	
Cambridge, Ohio	13,075	2 4										

#### MORBIDITY AND MORTALITY-Continued.

Morbidity and mortality tables for certain diseases, cities of the United States, for week ended Sept. 14, 1912—Continued.

Cities.	Popula- tion, United States cen- sus, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants—Continued.												
Concord, N. H	21,497	10									7	
Columbus, Ga	20,554	6										
Columbus, Ind					1					1	2	
Cumberland, Md	21,839	6	1				1		1		3	1
Dunkirk, N. Y		Ž										
Galesburg, Ill	22,089	10										1
Harrison, N. J.	14,498	3										-
Homestead, Pa	18,710	7										
Kearny, N. J		5										
Kearny, N. J	18,659		3		1							
La Fayette, Ind	20,081	5										
Logansport, Ind		1										
Marinette, Wis	14,610	2										
Marlboro, Mass	14, 479	4										
Massillon, Ohio	23,870	5									1	
Medford, Mass	23,150	3		1			2		2		2	
Melrose, Mass	15,715	2		1	1					1		
Moline, Ill	24,199	6								_		
Morristown, N. J	12,507	3										
Nanticoke, Pa	18,857	4										
Newburyport, Mass	19, 240	3										
North Adams, Mass	22,019											• • • • •
North Adams, Mass		11					1					
Northampton, Mass	19,431											
Ottumwa, Iowa	22,012	7					1				2	
Palmer, Mass		4										
Plainfield, N. J		5										
Saratoga Śprings, N. Y		4										
South Bethlehem, Pa		8	1								1	
Steelton, Pa	14,246	4	. 2								1	1
Warren, Pa	11,080	1							1		l	
Wilkinsburg, Pa		$\hat{2}$			l		1					
Woburn, Mass	15,308	7					1 1		1	1	i	1
" Obain, mass	10,000										1 1	

# STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated.)

Pennsylvania.—Month of July, 1912. Mortality.—Total number of deaths 9,007, including: Typhoid fever 99; scarlet fever 31; diphtheria 74; measles 71; whooping cough 75; smallpox 1; influenza 10; malaria, 1; tuberculosis of the lungs 642; tuberculosis of other organs 106; cancer 441; diabetes 50; meningitis 47; acute anterior poliomyelitis 8; pneumonia 348; diarrhea and enteritis, under 2 years, 1,368; diarrhea and enteritis, over 2 years, 150; Bright's disease and nephritis 450; early infancy 632; suicide 113; accidents in mines 96; railway injuries 119; other forms of violence 714; all other diseases 3,361.

Month of August, 1912. Morbidity.—Total number of cases of communicable diseases reported, 6,056, including anterior poliomyelitis 46; anthrax 3; cerebrospinal meningitis 9; chickenpox 88; diphtheria 970; epidemic dysentery 5; erysipelas 56; German measles 8; glanders 1; malarial fever 23; measles 1,092; mumps 95; pneumonia 177; puerperal fever 1; scarlet fever 449; smallpox 103; tetanus 7; trachoma 2; tuberculosis 1,094; typhoid fever 1,165; whooping cough 662. Population, 7,665,111.